



Epioxa™
(riboflavin 5'-phosphate
ophthalmic solution)

A Step-by-Step Guide to Billing and Coding

For coding, coverage, and payment questions visit [HCP.EpioxaCareConnect.com](https://www.HCP.EpioxaCareConnect.com)

Indications and Usage¹

Epioxa HD (riboflavin 5'-phosphate ophthalmic solution) 0.239% and Epioxa (riboflavin 5'-phosphate ophthalmic solution) 0.177% are indicated in epithelium-on corneal collagen cross-linking for the treatment of keratoconus in adults and pediatric patients aged 13 years and older, in conjunction with the O₂n System and the Boost Goggles®.

Please see Important Safety Information on page 14 and full [Prescribing Information](#).

GLAUKOS®

Glaukos provides this coding guide for informational purposes only, and it is subject to change without notice. This guide is not an affirmative instruction for which codes and modifiers to use for a particular service, supply, procedure, or treatment and does not constitute advice regarding coding, coverage, or payment for Glaukos products. It is the responsibility of providers, physicians, and suppliers to determine and submit appropriate codes, charges, and modifiers for products, services, supplies, procedures, or treatment furnished or rendered. Providers, physicians, and suppliers should contact their third-party payers for specific and current information on their coding, coverage, and payment policies. For further detailed product information, including indications for use, contraindications, effects, precautions, and warnings, please consult the product’s Instructions for Use (IFU) or prescribing information (PI) prior to use. The information provided herein is without any other warranty or guarantee of any kind, expressed or implied, as to completeness, accuracy, or otherwise. Glaukos makes no guarantee of coverage or reimbursement.

This guide provides step-by-step guidance on billing and coding, prior authorization, denials and appeals, EpioxaCareConnect™, and product acquisition.

Contents

Coding for Epioxa™ 3

Sample CMS-1500 and CMS-1450 claim forms..... 7


Prior authorization (PA) and pre-determination considerations 9

Understanding prior authorization denials and appeals 10

EpioxaCareConnect 11

Access and affordability 12

Acquiring Epioxa..... 13



Coding for Epioxa™ HD and Epioxa™

Epioxa (riboflavin 5'-phosphate ophthalmic solution) consists of two products: Epioxa HD 0.239% and Epioxa 0.177%. Throughout this guide, the term 'Epioxa' refers collectively to both products unless otherwise specified.

HCPCS Codes²

Claims for drugs that are physician-administered are submitted with an HCPCS code when billed to a payer.

Epioxa will be reported with a miscellaneous J code at launch (J3490 or C9399) to allow for billing until a permanent HCPCS code is available. Requirements for reporting a miscellaneous code can vary by site of care and payer. Confirm any plan-specific requirements to ensure appropriate reimbursement.

Site of Care	Payer	Coding Following FDA Approval, Up to Assignment of a Permanent HCPCS Code
Physician Office	All payers	J3490 – Unclassified drugs*
Hospital Outpatient Department, Ambulatory Surgical Center	Medicare	C9399 – Unclassified drugs or biologicals
	Non-Medicare [†]	J3490 – Unclassified drugs*

*As required by payer.

[†]Includes Medicare Advantage.

When billing for Epioxa using the codes above:

Epithelium-on cross-linking kit contains one 2 mL syringe each of Epioxa HD 0.239% and Epioxa 0.177%.¹ C9399 is a temporary HCPCS code used in the hospital outpatient and ambulatory surgical settings for services provided to Medicare beneficiaries. For miscellaneous codes, the quantity of drug or biological administered should be billed as "1" claim line for "1" unit dose for the date of service given. The total dose quantity administered should be indicated in the remarks field.

National Drug Code (NDC)¹

Payer requirements regarding the use of the 10- or 11-digit NDC may vary. Electronic data interchange (EDI) generally requires the use of the 11-digit NDC. Check payer requirements for appropriate reporting of the NDC.

Epioxa is a clear, yellow, sterile buffered solution available as follows:

10-digit NDC	11-digit NDC	Description
25357-024-01	25357-0024-01	<ul style="list-style-type: none"> • One single-dose glass syringe containing 2 mL of EPIOXA HD 0.239% packaged in a foil pouch • One single-dose glass syringe containing 2 mL of EPIOXA 0.177% packaged in a foil pouch

FDA, US Food and Drug Administration; HCPCS, Healthcare Common Procedure Coding System; NDC, National Drug Code.



Coding for Epioxa™

CPT® Codes³

5-digit codes that describe the procedures and services performed by healthcare providers.

CPT Code	Description
0402T	Collagen cross-linking of cornea, including removal of the corneal epithelium, when performed, and intraoperative pachymetry, when performed

CPT Copyright 2025 American Medical Association. All rights reserved. CPT® is a registered trademark of the American Medical Association.

Place of Service Codes³

Place of Service (POS) codes are 2-digit numeric codes used to indicate the setting in which a healthcare service is provided.

POS Code	POS Name
11	Office
19	Off-campus—outpatient hospital
22	On-campus—outpatient hospital
24	Ambulatory Surgical Center (ASC)

Revenue Codes⁴

Revenue codes are used on the CMS-1450 (UB-04) claim form to map a specific charge to a cost center.

Revenue Code	Description
0636	Drugs requiring detailed coding
0500	Outpatient services
0519	Clinic, other
0761	Treatment room
0490	Ambulatory Surgical Care (general)

CMS, Centers for Medicare & Medicaid Services; CPT®, Current Procedural Terminology.

Coding for Epioxa™

Modifiers⁵

Modifiers are typically 2-character indicators that provide additional information regarding the services provided.

Modifier	Description	Appropriate Use
RT	Right side (used to identify procedures performed on the right side of the body)	Append to HCPCS and CPT code to denote laterality of drug administration and cross-linking procedure
LT	Left side (used to identify procedures performed on the left side of the body)	Append to HCPCS and CPT code to denote laterality of drug administration and cross-linking procedure
JW	Drug amount discarded/not administered to any patient	Append to HCPCS code to denote wastage
JZ	Zero drug amount discarded/not administered to patient	Append to HCPCS code to denote no wastage

Modifier guidance on drugs acquired through 340B Drug Pricing Program⁵

For drugs acquired through the 340B program, CMS requires the reporting of the “TB” modifier on all claims (effective since January 1, 2025). This applies to both hospital-based and non-hospital-based entities, as well as any other 340B-covered entity that submits claims for payable Part B drugs and biologicals.

Modifier	Description	Appropriate use
TB	Drug or biological acquired with 340B drug pricing program discount, reported for informational purposes for select entities	The “TB” modifier must be reported by all 340B covered entity hospitals paid under OPSS

Note: CMS does not use fractional billing units. Therefore, when billing 1 unit using C9399, the JW modifier should not be used when the dose of the drug administered is less than the billing unit. In this situation, the billing provider or supplier would report administering the full billing unit along with the JZ modifier. Check provider-specific billing policies on the use of modifiers.

OPSS, Outpatient Prospective Payment System.

Coding for Epioxa™

International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)⁶

ICD-10-CM codes are used to identify a patient's diagnosis. At least 1 ICD-10-CM diagnosis code must be included in all hospital and physician office claims to describe the patient's diagnosis.

The ICD-10-CM diagnosis codes listed are provided only as examples of potentially relevant codes. Providers should consult a current ICD-10-CM manual and select the most appropriate diagnosis code(s) to accurately describe a patient's condition. All diagnosis codes should be supported with adequate documentation.

The following may be appropriate ICD-10-CM diagnosis codes for prescribing Epioxa.

ICD-10-CM	Descriptions
H18.601	Keratoconus, unspecified, right eye
H18.602	Keratoconus, unspecified, left eye
H18.603	Keratoconus, unspecified, bilateral
H18.611	Keratoconus, stable, right eye
H18.612	Keratoconus, stable, left eye
H18.613	Keratoconus, stable, bilateral
H18.621	Keratoconus, unstable, right eye
H18.622	Keratoconus, unstable, left eye
H18.623	Keratoconus, unstable, bilateral



Did you know?

Dedicated Reimbursement Liaisons are able to share coverage and on-label coding information to support patient access. Contact your local Glaukos Reimbursement Liaison to learn more.

ICD-10-CM, International Classification of Diseases, Tenth Revision, Clinical Modification.



Sample Claim Form: CMS-1500, Physician Office Place of Service

HEALTH INSURANCE CLAIM FORM
APPROVED BY NATIONAL UNIFORM CLAIM COMMITTEE (NUCC) 02/12

1. MEDICARE (Medicare) MEDICAID (Medicaid) TRICARE (TRICARE) CHAMPVA (Member ID#) GROUP HEALTH PLAN (ID#) FECA BLK/LUNG (ID#) OTHER (ID#) 1a. INSURED'S I.D. NUMBER (For Program in Item 1)

2. PATIENT'S NAME (Last Name, First Name, Middle Initial) 3. PATIENT'S BIRTH DATE (MM/DD/YY) SEX (M/F) 4. INSURED'S NAME (Last Name, First Name, Middle Initial)

5. PATIENT'S ADDRESS (No., Street) 6. PATIENT RELATIONSHIP TO INSURED (Self/Spouse/Child/Other) 7. INSURED'S ADDRESS (No., Street)

8. RESERVED FOR NUCC USE 9. OTHER INSURED'S NAME (Last Name, First Name, Middle Initial) 10. IS PATIENT'S CONDITION RELATED TO: (a. OTHER INSURED'S POLICY OR GROUP NUMBER, b. RESERVED FOR NUCC USE, c. RESERVED FOR NUCC USE, d. INSURANCE PLAN NAME OR PROGRAM NAME) 11. INSURED'S POLICY GROUP OR FECA NUMBER 12. IS THERE ANOTHER HEALTH BENEFIT PLAN? (YES/NO) 13. INSURED'S OR AUTHORIZED PERSON'S SIGNATURE (authorize payment of medical benefits to the undersigned physician or supplier for services described below.)

14. DATE OF CURRENT ILLNESS, INJURY, OR PREGNANCY (LMP) (MM/DD/YY) 15. OTHER DATE (QUAL/YY) 16. DATES PATIENT UNABLE TO WORK IN CURRENT OCCUPATION (FROM/TO) 17. NAME OF REFERRING PROVIDER OR OTHER SOURCE (17a, 17b, 17c, 17d, 17e, 17f, 17g, 17h, 17i, 17j, 17k, 17l, 17m, 17n, 17o, 17p, 17q, 17r, 17s, 17t, 17u, 17v, 17w, 17x, 17y, 17z) 18. HOSPITALIZATION DATES RELATED TO CURRENT SERVICES (FROM/TO) 19. ADDITIONAL CLAIM INFORMATION (Designated by NUCC) 20. OUTSIDE LAB? (YES/NO) \$ CHARGES 21. DIAGNOSIS OR NATURE OF ILLNESS OR INJURY (Relate A-L to service line below (24E)) (ICD Int.) 22. RESUBMISSION CODE ORIGINAL REF. NO. 23. PRIOR AUTHORIZATION NUMBER 24. A. DATE(S) OF SERVICE (From/To) B. PLACE OF SERVICE (EMG) C. PROCEDURES, SERVICES, OR SUPPLIES (Explain Unusual Circumstances) (CPT/HCPCS) D. MODIFIER E. DIAGNOSIS POINTER F. \$ CHARGES G. DATE OF INFLUENZA VACCINATION H. POLYMER I. ID. QUAL. J. RENDERING PROVIDER ID.# 25. FEDERAL TAX I.D. NUMBER SSN/EIN 26. PATIENT'S ACCOUNT NO. 27. ACCEPT ASSIGNMENT? (YES/NO) 28. TOTAL CHARGE \$ 29. AMOUNT PAID \$ 30. Rsvd for NUCC Use 31. SIGNATURE OF PHYSICIAN OR SUPPLIER INCLUDING DEGREES OR CREDENTIALS (I certify that the statements on the reverse apply to this bill and are made a part thereof.) 32. SERVICE FACILITY LOCATION INFORMATION 33. BILLING PROVIDER INFO & PH # (a. NPI, b. NPI)

Annotations: A (19), B (21), C (24A), D (24B), E (24C), F (24E), G (24G)

NUCC Instruction Manual available at: www.nucc.org PLEASE PRINT OR TYPE APPROVED OMB-0938-1197 FORM 1500 (02-12)

This sample form is intended as a reference for the coding and billing of Epioxa™. This form is not intended to be directive, and the use of the recommended codes does not guarantee reimbursement. HCPs may deem other codes or policies more appropriate and should select the coding options that most accurately reflect their internal guidelines, payer requirements, practice patients, and services rendered.

- A Item 19:** Many payers require detailed information when using miscellaneous HCPCS codes (eg, J3490), such as:
 - Drug name and NDC
 - Total dosage
 - Method of administration
- B Item 21:** Specify appropriate ICD-10-CM diagnosis code(s).
- C Item 24A:** Provide dates of service. In the red shaded area, provide NDC information. The NDC is preceded by the qualifier N4 and followed by the unit of measure.
- D Item 24B:** Indicate the place of service where Epioxa is administered.
- E Item 24D:** Specify HCPCS and CPT codes; for example:
 - Epioxa drug: J3490
 - Cross-linking procedure: 0402T
 Specify modifiers; for example:
 - Append J3490 with LT or RT to denote laterality of procedure (left or right eye)
 - JZ, to indicate no discarded drug
- F Item 24E:** Enter reference to the diagnosis for the CPT and HCPCS codes from Item 21.
- G Item 24G:** Report billing units. One Epioxa kit billed using J3490 is reported as **1 unit**.

Providers submitting claims for Epioxa via electronic software systems will need to translate claim information into compatible formats for input into their software systems. To view a crosswalk between CMS-1500 and X12N Health Care Claim: Professional (837), visit <https://x12.org/codes>



HCP, healthcare professional.

Sample Claim Form: CMS-1450/UB-04, Hospital Outpatient Place of Service

The form is a standard CMS-1450/UB-04 Hospital Outpatient Claim Form. It includes sections for patient information (8-10), admission details (11-17), condition codes (18-21), occurrence codes (22-28), value codes (29-31), and a detailed procedure table (42-49). The procedure table has columns for description, HCPCS/RATE, date, and units. Below the table are fields for payer information (50-53), insured information (54-57), treatment authorization (58-60), and procedure codes (61-73). A remarks section (80) is at the bottom.

This sample form is intended as a reference for the coding and billing of Epioxa™. This form is not intended to be directive, and the use of the recommended codes does not guarantee reimbursement. HCPs may deem other codes or policies more appropriate and should select the coding options that most accurately reflect their internal guidelines, payer requirements, practice patients, and services rendered.

- A Form Locator (FL) 42:**
Specify the 4-digit revenue codes for the service.
- B FL 43:**
Enter the "N4" qualifier followed by 11-digit NDC, and report unit of measurement.
- C FL 44:**
Specify HCPCS and CPT codes; for example:
 - Epioxa kit: J3490
 - Cross-linking procedure: 0402T
 Specify modifiers; for example:
 - Append J3490 with LT or RT to denote laterality of procedure
 - JZ, to indicate no discarded drug
- D FL 46:**
Report billing units. One Epioxa kit billed using J3490 is reported as **1 unit**.
- E FL 66:**
Specify appropriate ICD-10-CM diagnosis code(s).
- F FL 80:**
Some payers require detailed information when billing J3490, including drug name and NDC, total dose given, method of administration/procedure.

Providers submitting claims for Epioxa via electronic software systems will need to translate claim information into compatible formats for input into their software system. To view a crosswalk between CMS-1450 and ASC X12 8371 v5010A2 Health Care Claim: Professional (837), visit <https://www.novitas-solutions.com/webcenter/portal/MedicareJH/pagebyid?contentId=00004768>



Prior Authorization (PA) and Pre-Determination Considerations

Use the checklist below to support your practice in navigating PA and pre-determination processes for corneal cross-linking with Epioxa™. Always consult payer-specific policies for PA or pre-determination requirements.

Completed PA request form (some health plans require specific forms)

- Patient's name and date of birth
- Patient's health insurance policy number
- Patient's diagnosis/ICD-10-CM code(s)
- Provider details, specialty, contact information, and National Provider Identifier (NPI) number
- Epioxa National Drug Code (NDC)
- Medical documentation to support the treatment decision

Include a letter of medical necessity and relevant clinical support

If required, include a letter of medical necessity that provides the patient's medical and ocular history and your rationale for corneal cross-linking with Epioxa

Documentation that supports the treatment decision, such as:

- Patient-specific clinical notes detailing the relevant diagnosis
- Summary of relevant ocular history
- Summary of prior disease management of keratoconus and patient response
- Clinical notes describing intolerance or inadequate response to prior management
- Relevant testing results
- Product Prescribing Information



Enroll your patient in [EpioxaCareConnect™](#) or call your Reimbursement Liaison for additional support with billing, coding, PA, and claims support.



Understanding Prior Authorization Denials and Appeals

Many health plans will require a prior authorization request and supporting documentation to cover Epioxa™.

These requests allow the payer to review the reason for the requested treatment and determine its medical appropriateness.

Understanding the reasons why insurers may deny prior authorization can help mitigate payer challenges. Some causes of delayed or denied PAs may include:

- ⊗ Inaccurate or missing codes (eg, HCPCS, CPT, or ICD-10-CM codes)
- ⊗ Incorrect product information
- ⊗ Incorrect or missing patient or provider information
- ⊗ Failure to follow payer-specific requirements

Appealing a prior authorization denial

If the health plan denied a prior authorization for Epioxa:

- STEP 1** Review the reason for the denial.
- STEP 2** Request a peer-to-peer review with the health plan, if possible. The prior authorization denial should include information on the process and timeline for requesting a peer-to-peer review. This information can also be obtained via EpioxaCareConnect™.

If you or your patient has not received a decision within 30 days:

- STEP 3** File a written internal appeal with the health plan requesting that the payer reconsider. You may need to provide additional documentation supporting why Epioxa is the best treatment choice for your patient, how they meet policy criteria, or why an exception should be made.
- STEP 4** If the insurer continues to deny the authorization request, your patient may request an external appeal, in which an independent third party will review the additional documentation provided and make a final decision.



Always confirm payer- and plan-specific prior authorization and appeals guidance, including how to request a peer-to-peer review. EpioxaCareConnect™ and your Reimbursement Liaison are available to help.



How will EpioxaCareConnect support your patients?

EpioxaCareConnect provides centralized support services for practices, personalized patient support through Patient Access Liaisons (PALs), and in-person, field-based reimbursement support from your dedicated Reimbursement Liaison (RL).



Support Through EpioxaCareConnect

- EpioxaCareConnect can perform a benefits investigation, provide prior authorization requirements, provide estimated patient out-of-pocket (OOP) costs, and determine financial assistance eligibility
- EpioxaCareConnect can also offer support through prior authorizations/pre-determinations, appeals, and peer-to-peer review



Patient Support Through Our PAL Team

- Upon enrollment in EpioxaCareConnect, each patient is paired with a dedicated PAL who offers one-on-one, non-medical support
- The PAL answers logistical questions, guides patients through insurance and access processes, and helps ensure a smooth start to treatment
- PALs stay engaged after first-eye treatment to support recovery and coordinate second-eye treatment, if needed



Reimbursement Support Through Your RL

The RL:

- Is your dedicated field-based expert
- Provides guidance and support in interpreting payer coverage policy, documentation criteria, authorization denial support, and claim submission
- Educates HCP staff on payer trends, payment denials, and time to access



Enroll your patient in EpioxaCareConnect by calling **1-855-5-EPIOXA (1-855-537-4692)** or by visiting HCP.EpioxaCareConnect.com.



Epioxa™
(riboflavin 5'-phosphate
ophthalmic solution)

Access and Affordability

Epioxa™ Copay Program for commercially insured patients

Your patients may be eligible to pay as little as a \$0 copay*




Patients with commercial insurance may be eligible to pay as little as \$0 out of pocket for the cost of Epioxa through our Epioxa Copay Program.

Patients with commercial insurance may also be eligible to pay as little as \$0 out of pocket for the cost of the cross-linking procedure.*

*Copay assistance is available for commercially insured eligible patients only. Additional restrictions may apply. Subject to change; for full terms and conditions, visit HCP.EpioxaCareConnect.com.



Patients may be enrolled in the Epioxa Copay Program through HCP.EpioxaCareConnect.com.


 **Epioxa™**
(riboflavin 5'-phosphate
ophthalmic solution)


Acquiring Epioxa™ for Your Patient

Epioxa acquisition depends on the patient's individual plan. Some plans require acquisition through the buy-and-bill process (where the provider purchases, stores, and administers the drug), whereas others allow acquisition through a specialty pharmacy.

Purchase Epioxa from Glaukos

Epioxa can be purchased directly from Glaukos. To place an order, contact Glaukos Customer Service:

 **Call:** 1-844-528-3376

 **Fax:** 1-781-768-3401

 **Email:** USAOrders@glaukos.com

Ordering Epioxa through Specialty Pharmacy

Orsini Specialty Pharmacy

 **For provider services and patient questions, call:** 1-847-849-1374

 **Provider fax orders:** 1-877-860-2146

 **Liaison email address:** Epioxaliation@orsinihc.com



Enroll your patient in EpioxaCareConnect for a patient-specific benefits verification that provides ways your patient can access Epioxa.

Indication and Important Safety Information

INDICATIONS AND USAGE

EPIOXA HD (riboflavin 5'-phosphate ophthalmic solution) 0.239% and EPIOXA (riboflavin 5'-phosphate ophthalmic solution) 0.177% are photoenhancers indicated for use in epithelium-on corneal collagen cross-linking for the treatment of keratoconus in adults and pediatric patients aged 13 years and older, in conjunction with the O₂n™ System and the Boost Goggles®.

IMPORTANT SAFETY INFORMATION

Contraindications

EPIOXA HD and EPIOXA are contraindicated in patients with known hypersensitivity to benzalkonium chloride (BAC) or any ingredients in EPIOXA HD and EPIOXA. Epithelium-on corneal collagen cross-linking is contraindicated in aphakic and pseudophakic patients without a UV-blocking intraocular lens.

Warnings and Precautions

Corneal collagen cross-linking should be used with caution in patients with a history of herpetic keratitis due to the potential for reactivation of herpes keratitis.

Adverse Reactions

The most common adverse reaction was conjunctival hyperaemia (31%). Other adverse reactions, occurring in 5% to 25% of eyes included: corneal opacity (haze), photophobia, punctate keratitis, eye pain, eye irritation, increased lacrimation, corneal epithelium defect, eyelid oedema, corneal striae, visual acuity reduced, dry eye, and anterior chamber flare.

Please see full [Prescribing Information](#) for EPIOXA HD and EPIOXA.

You are encouraged to report all side effects to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088. You may also call Glaukos at 1-888-404-1644.

Glaukos provides this coding guide for informational purposes only, and it is subject to change without notice. This guide is not an affirmative instruction for which codes and modifiers to use for a particular service, supply, procedure, or treatment and does not constitute advice regarding coding, coverage, or payment for Glaukos products. It is the responsibility of providers, physicians, and suppliers to determine and submit appropriate codes, charges, and modifiers for products, services, supplies, procedures, or treatment furnished or rendered. Providers, physicians, and suppliers should contact their third-party payers for specific and current information on their coding, coverage, and payment policies. For further detailed product information, including indications for use, contraindications, effects, precautions, and warnings, please consult the product's Instructions for Use (IFU) or prescribing information (PI) prior to use. The information provided herein is without any other warranty or guarantee of any kind, expressed or implied, as to completeness, accuracy, or otherwise. Glaukos makes no guarantee of coverage or reimbursement.

References: **1.** Epioxa. Prescribing information. Glaukos; 2025. **2.** List of CPT/HCPCS codes. Centers for Medicare & Medicaid Services. Accessed October 15, 2025. <https://www.cms.gov/medicare/regulations-guidance/physician-self-referral/list-cpt-hcpcs-codes> **3.** American Medical Association. Current Procedural Terminology: CPT® 2025: Professional Edition. Chicago, IL: AMA Press; 2025. **4.** Revenue codes. Noridian Medicare. Accessed October 15, 2025. <https://med.noridianmedicare.com/web/jfa/topics/claim-submission/revenue-codes> **5.** Modifiers. Noridian Medicare. Accessed October 15, 2025. <https://med.noridianmedicare.com/web/jeb/topics/modifiers> **6.** 2026 ICD-10-CM. 2026 Code Tables, Tabular and Index. Centers for Medicare & Medicaid Services. Updated October 1, 2025. Accessed October 15, 2025. [https://www.cms.gov/medicare/coding-billing/icd-10-codes#:~:text=2026%20Code%20Tables%2C%20Tabular%20and%20Index%20\(ZIP\)](https://www.cms.gov/medicare/coding-billing/icd-10-codes#:~:text=2026%20Code%20Tables%2C%20Tabular%20and%20Index%20(ZIP))